

Guideline no. 70

Guidelines on the reuse of potable water for food processing operations

Prepared by the Water Reuse Working Party of the Microbiology Panel

Edited by Dr. John Holah

2012

© Campden BRI 2012
ISBN: 978 0 907503 73 6

Station Road, Chipping Campden, Gloucestershire, GL55 6LD, UK
Tel: +44(0)1386 842000 Fax: +44(0)1386 842100

www.campden.co.uk

Information emanating from this company is given after the exercise of all reasonable care and skill in its compilation, preparation and issue, but is provided without liability in its application and use.

Legislation changes frequently. It is essential to confirm that legislation cited in this publication and current at the time of printing, is still in force before acting upon it.

The information contained in this publication must not be reproduced without permission from the Publications Manager.

CONTENTS

	Page no.
1. DEFINITIONS	1
2. INTRODUCTION	3
3. FIRST USE WATER	5
4. WATER REUSE RISK ASSESSMENT	6
Preparatory stage 1: Obtain management permission	6
Preparatory stage 2: Determine terms of reference/scope of study	7
Preparatory stage 3: Select the Water Reuse Assessment (WRA) team	7
Preparatory stage 4: Describe the first use water	8
Preparatory stage 5: Identify intended use	9
Preparatory stage 6: Construct flow diagrams	10
Preparatory stage 7: On site confirmation of flow diagram	10
Stage 8.1: List the potential hazards	11
8.1.1 Primary identification of potential contaminants for analysis and analysis of recovered water	11
8.1.2 Additional contaminant identification for recovered water intended for potable/ingredient purposes	13
8.1.3 Contaminant sampling	14
Stage 8.2: Conduct a hazard analysis	15
8.2.1 Microorganisms	17
8.2.2 Chemicals	19
8.2.2.1 Approach	19
8.2.2.2 Toxicological risk assessment	20
8.2.2.3 Further evaluation	21
Stage 8.3: Identify appropriate control measure	25
5. HAZARD MITIGATION STRATEGIES	28
6. CONTROL OPTIONS	31
Stage 9: Determine Operational Prerequisites	31
Stage 10: Establish control limits for each OP	32
Stage 11: Establish a monitoring system for each OP	33
Stage 12: Establish a corrective action plan	34
Stage 13: Verification	35
7. DOCUMENTATION	39
Stage 14: Establish documentation and record keeping	39
8. REFERENCES	41